

Database_SPSS[1].sav [DataSet1] - SPSS Data Editor

File Edit View Data Transform **Analyze** Reports Graphs Utilities Add-ons Window Help

1 : v3

Visible: 36 of 36 Variables

Analyze > **Descriptive Statistics** > **Crosstabs...**

Descriptive Statistics

- Tables
 - Compare Means
 - General Linear Model
 - Generalized Linear Models
 - Mixed Models
 - Correlate
 - Regression
 - Loglinear
 - Classify
 - Data Reduction
 - Scale
 - Nonparametric Tests
 - Time Series
 - Survival
 - Multiple Response
 - Missing Value Analysis...
 - Quality Control
 - ROC Curve...
- Amos 7

Descriptives...
Explore...
Crosstabs...
Ratio...
P-P Plots...
Q-Q Plots...

	v3	v4	v9	v11	v12a	v12b	v12c	v12d	v12e	v13	v14	v15	v16
1	0		2	1	1	1	0	0	0	4	2	1	
2	0		3	3	1	0	1	0	0	1	2	2	
3	0		2	5	1	1	0	1	0	2	3	3	
4	0		3	4	0	1	0	0	0	1	2	3	
5	0		0	2	5	1	0	1	0	1	2	1	
6	0		0	5	3	1	0	1	0	2	1	2	
7	0		0	5	4	1	1	0	0	2	2	2	
8	0		0	4	1	1	1	0	0	1	1	1	
9	0		1	2	2	0	1	0	0	1	2	2	
10	0		1	1	4	0	1	0	0	1	2	2	
11	0		0	4	2	1	1	0	0	1	2	1	
12	0		0	3	3	1	1	0	0	1	3	1	
13	0		1	5	2	1	1	0	0	1	1	3	
14	0		0	4	2	1	1	0	0	1	2	2	
15	0		1	5	2	1	1	0	1	1	2	2	
16	1		1	5	5	1	0	0	0	1	2	3	
17	0	3	1	1	5	1	0	0	0	1	4	2	1
18	0	3	1	0	1	2	2	1	1	0	0	1	1
19	0	1	0	0	1	1	2	1	1	0	0	1	1
20	0	2	0	0	0	1	5	1	0	0	1	2	2
21	1	3	1	0	1	3	2	0	1	0	0	2	2
22	0	3	1	0	1	1	3	0	1	0	0	1	3
23	0	2	0	0	1	4	5	1	1	0	0	2	1
24	0	1	0	0	1	3	4	1	1	0	0	2	2
25	0	2	0	0	1	4	5	1	1	0	0	2	2
26	0	1	0	0	1	3	4	1	1	0	0	2	2
27	0	1	0	0	0	1	4	1	1	0	0	1	3
28	0	1	0	0	0	4	3	1	1	0	0	1	2
29	0	2	0	0	1	4	5	1	1	0	0	2	1
30	0	1	0	0	1	3	4	1	1	0	0	2	2
31	0	1	0	0	0	1	4	1	1	0	0	1	3
32	0	1	0	0	0	4	3	1	1	0	0	1	2
33	0	1	0	0	1	4	4	1	1	0	0	2	3
34	0	1	0	0	1	3	3	0	0	1	0	2	2
35	0	1	0	0	0	2	4	1	1	1	0	1	2
36	0	1	0	0	0	3	4	1	1	0	0	1	2
37	0	1	0	0	1	2	3	1	1	0	0	2	1
38	0	1	0	0	1	3	4	1	1	0	0	2	1
39	0	1	0	0	1	1	5	1	1	0	0	1	3
40	0	1	0	0	1	5	3	1	1	0	0	3	1
41	0	1	0	0	0	5	1	1	0	1	0	2	3
42	0	1	0	0	1	3	3	1	1	0	0	4	1
43	0	1	0	0	1	3	4	1	1	0	0	1	2
44	0	2	0	0	1	4	4	1	1	0	1	2	2
45	0	1	0	0	1	4	1	1	1	0	0	4	2

SPSS Processor is ready

Start desktop - Notepad Recitation Activities - Mic... Document1 - Microsoft ... Database_SPSS[1].sa...

8:33 AM

Database_SP55[1].sav [DataSet1] - SPSS Data Editor

File Edit View Data Transform Analyze Graphs Utilities Add-ons Window Help

1 : v3 0 Visible: 36 of 36 Variables

Crosstabs

Row(s): Unionviol (v24b)

Column(s): Teachers (v5)

Layer 1 of 1

☐ Display clustered bar charts

☐ Suppress tables

Exact... Statistics... Cells... Format...

	v9	v11	v12a	v12b	v12c	v12d	v12e	v13	v14	v15	v16
1	1	1	1	0	0	0	0	4	2	1	
2	3	1	0	1	0	0	0	1	2	2	
3	5	1	1	0	1	0	0	2	3	3	
4	4	0	1	0	0	0	0	1	2	3	
5	5	1	0	0	1	0	0	1	2	1	
6	3	1	1	0	1	0	0	2	1	2	
7	4	1	1	0	0	0	0	2	2	2	
8	1	1	1	0	0	0	0	1	1	1	
9	2	0	1	0	1	0	0	1	2	2	
10	4	0	0	1	0	0	0	1	2	2	
11	2	1	1	0	1	0	0	1	2	1	
12	3	1	1	0	0	0	0	1	3	1	
13	2	1	1	0	0	0	0	1	1	3	
14	2	1	1	0	0	0	0	1	2	2	
15	2	1	1	0	0	1	1	1	2	2	
16	5	1	0	0	1	0	0	1	2	3	
17	5	1	0	0	0	0	1	4	2	1	
18	2	1	1	0	0	0	0	1	2	1	
19	2	1	1	0	0	0	1	1	1	1	
20	5	1	0	0	1	0	0	1	2	2	
21	2	0	1	0	0	0	1	2	2	2	
22	3	0	1	0	0	0	1	1	3	1	
23	5	1	1	0	0	0	0	2	2	1	
24	4	1	1	0	0	0	0	2	2	2	
25	5	1	1	0	0	0	0	2	2	2	
26	4	1	1	0	0	0	0	2	2	2	
27	4	1	1	0	0	0	0	1	3	1	
28	3	1	1	0	0	0	0	1	2	1	
29	5	1	1	0	0	0	0	2	2	1	
30	4	1	1	0	0	0	0	2	2	2	
31	4	1	1	0	0	0	0	1	3	1	
32	3	1	1	0	0	0	0	1	2	1	
33	4	1	1	1	0	0	0	2	3	3	
34	3	0	0	0	1	0	0	1	2	2	
35	4	1	1	1	1	0	0	1	2	3	
36	4	1	1	1	0	0	0	1	2	2	
37	3	1	1	1	0	0	0	2	2	1	
38	4	1	1	1	0	0	0	2	2	1	
39	5	1	1	0	0	0	0	1	3	1	
40	3	1	1	0	1	0	0	3	1	2	
41	1	1	0	1	1	0	0	2	3	2	
42	3	1	1	0	0	0	0	4	1	2	
43	4	1	1	0	0	0	0	1	2	1	
44	4	1	1	0	1	0	0	1	2	2	
45	4	1	1	0	0	1	0	4	2	2	

SPSS Processor is ready

8:34 AM

Database_SPSS[1].sav [DataSet1] - SPSS Data Editor

File Edit View Data Transform Analyze Graphs Utilities Add-ons Window Help

1 : v3 0 Visible: 36 of 36 Variables

Crosstabs

Row(s):

Crosstabs: Cell Display

Counts

☒ Observed

☐ Expected

Percentages

☐ Row

☒ Column

☐ Total

Residuals

☐ Unstandardized

☐ Standardized

☐ Adjusted standardized

Noninteger Weights

☒ Round cell counts

☐ Round case weights

☐ Truncate cell counts

☐ Truncate case weights

☐ No adjustments

☐ Display cluster

☐ Suppress table

Exact...

	v9	v11	v12a	v12b	v12c	v12d	v12e	v13	v14	v15	v16
1	1	1	1	0	0	0	0	4	2	1	
2	3	1	0	1	0	0	0	1	2	2	
3	5	1	1	0	1	0	0	2	3	3	
4	4	0	1	0	0	0	0	1	2	3	
5	5	1	0	0	1	0	0	1	2	1	
6	3	1	1	0	1	0	0	2	1	2	
7	4	1	1	0	0	0	0	2	2	2	
8	1	1	1	0	0	0	0	1	1	1	
9	2	0	1	0	1	0	0	1	2	2	
10	4	0	0	1	0	0	0	1	2	2	
11	2	1	1	0	1	0	0	1	2	1	
12	3	1	1	0	0	0	0	1	3	1	
13	2	1	1	0	0	0	0	1	1	3	
14	2	1	1	0	0	0	0	1	2	2	
15	2	1	1	0	0	1	1	1	2	2	
16	5	1	0	0	1	0	0	1	2	3	
17	5	1	0	0	0	0	1	4	2	1	
18	2	1	1	0	0	0	0	1	2	1	
19	0	1	0	0	0	0	1	1	1	1	
20	0	2	0	0	0	1	0	0	1	2	
21	1	3	1	0	1	3	0	1	2	2	
22	0	3	1	0	1	1	0	1	1	3	
23	0	2	0	0	1	4	0	0	2	2	
24	0	1	0	0	1	3	4	1	2	2	
25	0	2	0	0	1	4	5	1	2	2	
26	0	1	0	0	1	3	4	1	2	2	
27	0	1	0	0	0	1	4	1	3	1	
28	0	1	0	0	0	4	3	1	2	1	
29	0	2	0	0	1	4	5	1	2	2	
30	0	1	0	0	1	3	4	1	2	2	
31	0	1	0	0	0	1	4	1	3	1	
32	0	1	0	0	0	4	3	1	2	1	
33	0	1	0	0	1	4	4	1	2	3	
34	0	1	0	0	1	3	3	0	2	2	
35	0	1	0	0	0	2	4	1	2	3	
36	0	1	0	0	0	3	4	1	2	2	
37	0	1	0	0	1	2	3	1	2	1	
38	0	1	0	0	1	3	4	1	2	1	
39	0	1	0	0	1	1	5	1	3	1	
40	0	1	0	0	1	5	3	1	3	1	
41	0	1	0	0	0	5	1	1	2	2	
42	0	1	0	0	1	3	3	1	1	2	
43	0	1	0	0	1	3	4	1	2	1	
44	0	2	0	0	1	4	4	1	2	2	
45	0	1	0	0	1	4	1	1	2	2	

Data View Variable View

SPSS Processor is ready

Start desktop - Notepad Recitation Activities - Mic... Document1 - Microsoft ... Database_SPSS[1].sa...

8:34 AM

Database_SPSS[1].sav [DataSet1] - SPSS Data Editor

File Edit View Data Transform Analyze Graphs Utilities Add-ons Window Help

1 : v3 0 Visible: 36 of 36 Variables

Crosstabs

Religious [v19] Row(s): OK

Crosstabs: Statistics

☒ Chi-square ☐ Correlations

Nominal ☐ Contingency coefficient ☐ Gamma
☐ Phi and Cramér's V ☐ Somers' d
☐ Lambda ☐ Kendall's tau-b
☐ Uncertainty coefficient ☐ Kendall's tau-c

Nominal by Interval ☐ Kappa
☐ Eta ☐ Risk
☐ McNemar

☐ Cochran's and Mantel-Haenszel statistics
Test common odds ratio equals: 1

	v9	v11	v12a	v12b	v12c	v12d	v12e	v13	v14	v15	v16
1	1	1	1	0	0	0	0	4	2	1	
2	3	1	0	1	0	0	0	1	2	2	
3	5	1	1	0	1	0	0	2	3	3	
4	4	0	1	0	0	0	0	1	2	3	
5	5	1	0	0	1	0	0	1	2	1	
6	3	1	1	0	1	0	0	2	1	2	
7	4	1	1	0	0	0	0	2	2	2	
8	1	1	1	0	0	0	0	1	1	1	
9	2	0	1	0	1	0	0	1	2	2	
10	4	0	0	1	0	0	0	1	2	2	
11	2	1	1	0	1	0	0	1	2	1	
12	3	1	1	0	0	0	0	1	3	1	
13	2	1	1	0	0	0	0	1	1	3	
14	2	1	1	0	0	0	0	1	2	2	
15	2	1	1	0	0	1	1	1	2	2	
16	5	1	0	0	1	0	0	1	2	3	
17	5	1	0	0	0	0	1	4	2	1	
18	2	1	1	0	0	0	0	1	2	1	
19	0	1	0	0	0	0	1	1	1	1	
20	0	2	0	0	0	0	1	1	2	2	
21	1	3	1	0	1	0	0	1	2	2	
22	0	3	1	0	1	0	0	1	1	3	
23	0	2	0	0	1	0	0	2	2	1	
24	0	1	0	0	1	0	0	2	2	2	
25	0	2	0	0	1	0	0	2	2	2	
26	0	1	0	0	1	0	0	2	2	2	
27	0	1	0	0	0	0	0	1	3	1	
28	0	1	0	0	0	0	0	1	2	1	
29	0	2	0	0	1	0	0	2	2	1	
30	0	1	0	0	1	0	0	2	2	2	
31	0	1	0	0	0	0	0	1	3	1	
32	0	1	0	0	0	0	0	1	2	1	
33	0	1	0	0	1	0	0	2	3	3	
34	0	1	0	0	1	0	0	1	2	2	
35	0	1	0	0	0	0	0	1	2	3	
36	0	1	0	0	0	0	0	1	2	2	
37	0	1	0	0	1	0	0	2	2	1	
38	0	1	0	0	1	0	0	2	2	1	
39	0	1	0	0	1	0	0	1	3	1	
40	0	1	0	0	1	0	0	3	1	2	
41	0	1	0	0	0	1	0	2	3	2	
42	0	1	0	0	1	0	0	4	1	2	
43	0	1	0	0	1	0	0	1	2	1	
44	0	2	0	0	1	0	0	1	2	2	
45	1	0	0	0	1	0	0	4	2	2	

Data View Variable View

SPSS Processor is ready

Start desktop - Notepad Recitation Activities - Mic... Document1 - Microsoft ... Database_SPSS[1].sa...

8:35 AM

Output2 [Document2] - SPSS Viewer

File Edit View Data Transform Insert Format Analyze Graphs Utilities Add-ons Window Help

Output

- Log
- Crosstabs
 - Title
 - Notes
 - Active Dataset
 - Case Processing Summary
 - Unionviol * Teachers Crosstabulation
 - Chi-Square Tests

```
CROSSTABS
  /TABLES=v24b BY v5
  /FORMAT=AVALUE TABLES
  /STATISTIC=CHISQ
  /CELLS=COUNT COLUMN
  /COUNT ROUND CELL.
```

→ **Crosstabs**

[DataSet1] C:\Documents and Settings\awm\Local Settings\Temporary Internet Files\Content.IE5\45Y7GHUN\Database_SPSS[1].sav

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Unionviol * Teachers	62	100.0%	0	.0%	62	100.0%

Unionviol * Teachers Crosstabulation

			Teachers		Total
			Nonteachers	Teachers	
Unionviol	No	Count	55	4	59
		% within Teachers	94.8%	100.0%	95.2%
Yes	Count		3	0	3
		% within Teachers	5.2%	.0%	4.8%
Total		Count	58	4	62
		% within Teachers	100.0%	100.0%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.217 ^b	1	.641	1.000	.816
Continuity Correction ^a	.000	1	1.000		
Likelihood Ratio	.411	1	.522		
Fisher's Exact Test					
Linear-by-Linear Association	.214	1	.644		
N of Valid Cases	62				

a. Computed only for a 2x2 table

b. 3 cells (75.0%) have expected count less than 5. The minimum expected count is .19.

SPSS Processor is ready

Start desktop - Notepad Recitation Activities - Mic... Document1 - Microsoft ... Database_SPSS[1].sav [Output2 [Document2...

8:35 AM

Database_SPSS[1].sav [DataSet1] - SPSS Data Editor

File Edit View Data Transform **Analyze** Graphs Utilities Add-ons Window Help

1 : v3

Visible: 36 of 36 Variables

Correlate

Bivariate...

Partial...

Distances...

	v3	v4	v7	v8	v9	v11	v12a	v12b	v12c	v12d	v12e	v13	v14	v15	v16
10	0		1	1	4	0	0	1	0	0	0	1	2	2	
11	0		0	4	2	1	1	0	1	0	0	1	2	1	
12	0		0	3	3	1	1	0	0	0	0	1	3	1	
13	0		0	5	2	1	1	0	0	0	0	1	1	3	
14	0		0	4	2	1	1	0	0	0	0	1	2	2	
15	0		0	5	2	1	1	0	0	1	1	1	2	2	
16	1		1	5	5	1	0	0	1	0	0	1	2	3	
17	0		1	1	5	1	0	0	0	0	1	4	2	1	
18	0		1	2	2	1	1	0	0	0	0	1	2	1	
19	0		1	1	2	1	1	0	0	0	1	1	1	1	
20	0		0	1	5	1	0	0	1	0	0	1	2	2	
21	1		1	3	2	0	1	0	0	0	1	2	2	2	
22	0		1	1	3	0	1	0	0	0	1	1	3	1	
23	0		1	4	5	1	1	0	0	0	0	2	2	1	
24	0		1	3	4	1	1	0	0	0	0	2	2	2	
25	0		1	4	5	1	1	0	0	0	0	2	2	2	
26	0	1	0	0	1	3	4	1	0	0	0	2	2	2	
27	0	1	0	0	0	1	4	1	1	0	0	0	1	3	1
28	0	1	0	0	0	4	3	1	1	0	0	0	1	2	1
29	0	2	0	0	1	4	5	1	1	0	0	0	2	2	1
30	0	1	0	0	1	3	4	1	1	0	0	0	2	2	2
31	0	1	0	0	0	1	4	1	1	0	0	0	1	3	1
32	0	1	0	0	0	4	3	1	1	0	0	0	1	2	1
33	0	1	0	0	1	4	4	1	1	0	0	0	2	3	3
34	0	1	0	0	1	3	3	0	0	1	0	0	1	2	2
35	0	1	0	0	0	2	4	1	1	1	0	0	1	2	3
36	0	1	0	0	0	3	4	1	1	1	0	0	1	2	2
37	0	1	0	0	1	2	3	1	1	1	0	0	2	2	1
38	0	1	0	0	1	3	4	1	1	1	0	0	2	2	1
39	0	1	0	0	1	1	5	1	1	0	0	0	1	3	1
40	0	1	0	0	1	5	3	1	1	0	1	0	3	1	2
41	0	1	0	0	0	5	1	1	0	1	1	0	2	3	2
42	0	1	0	0	1	3	3	1	1	0	0	0	4	1	2
43	0	1	0	0	1	3	4	1	1	0	0	0	1	2	1
44	0	2	0	0	1	4	4	1	1	0	1	0	1	2	2
45	0	1	0	0	1	4	1	1	1	0	0	1	4	2	2
46	0	1	0	0	1	1	3	1	1	1	0	0	1	2	1
47	0	1	0	0	1	3	4	1	1	1	0	0	2	2	2
48	0	3	1	0	1	3	4	1	1	0	0	1	2	3	1
49	0	2	0	0	1	5	2	1	1	1	0	0	4	2	1
50	0	3	0	1	1	4	3	1	1	0	1	0	1	3	2
51	0	3	0	1	1	2	1	1	0	0	1	0	1	2	1
52	0	1	0	0	0	3	4	1	1	1	0	0	2	2	1
53	0	1	0	0	0	4	3	1	1	0	0	0	1	2	1
54	0	1	0	0	0	4	4	1	1	0	1	0	2	2	2

Data View Variable View

SPSS Processor is ready

Start desktop - Notepad Recitation Activities - Mic... Document1 - Microsoft ... Database_SPSS[1].sa...

8:36 AM

Database_SPSS[1].sav [DataSet1] - SPSS Data Editor

File Edit View Data Transform Analyze Graphs Utilities Add-ons Window Help

1 : v3 0 Visible: 36 of 36 Variables

v3 v4 v5 v6 v7 v8 v9 v11 v12a v12b v12c v12d v12e v13 v14 v15 v16

Bivariate Correlations

Variables:

- Airline [v3]
- Occpress [v4]
- HCP [v6]
- PubPri [v7]
- Length [v8]
- Size [v9]
- War [v11]
- Wanes [v12a]
- Teachers [v5]
- Unionviol [v24b]

Correlation Coefficients

☒ Pearson ☐ Kendall's tau-b ☐ Spearman

Test of Significance

☒ Two-tailed ☐ One-tailed

☒ Flag significant correlations

Options...

1	4	0	0	1	0	0	0	0	0	0	0	0	1	2	2
4	2	1	1	0	1	0	0	0	0	0	0	0	1	2	1
3	3	1	1	0	0	0	0	0	0	0	0	0	1	3	1
5	2	1	1	0	0	0	0	0	0	0	0	0	1	1	3
4	2	1	1	0	0	0	0	0	0	0	0	0	1	2	2
5	2	1	1	0	0	1	1	1	1	1	1	1	1	2	2
5	5	1	0	0	0	1	0	0	0	0	0	0	1	2	3
1	5	1	0	0	0	0	0	0	0	0	1	4	2	1	1
2	2	1	1	0	0	0	0	0	0	0	0	1	2	1	1
1	2	1	1	0	0	0	0	0	0	0	1	1	1	1	1
1	5	1	0	0	0	1	0	0	0	0	0	1	2	2	2
3	2	0	1	0	0	0	0	0	0	0	1	2	2	2	2
1	3	0	1	0	0	0	0	0	0	0	1	1	3	1	1
4	5	1	1	0	0	0	0	0	0	0	0	2	2	1	1
3	4	1	1	0	0	0	0	0	0	0	0	2	2	2	2
4	5	1	1	0	0	0	0	0	0	0	0	2	2	2	2
26	0	1	0	0	0	0	1	3	4	1	1	0	0	2	2
27	0	1	0	0	0	0	0	1	4	1	1	0	0	1	3
28	0	1	0	0	0	0	0	4	3	1	1	0	0	1	2
29	0	2	0	0	0	1	4	5	1	1	0	0	0	2	1
30	0	1	0	0	0	1	3	4	1	1	0	0	0	2	2
31	0	1	0	0	0	0	1	4	1	1	0	0	0	1	3
32	0	1	0	0	0	0	4	3	1	1	0	0	0	1	2
33	0	1	0	0	1	4	4	1	1	1	0	0	0	2	3
34	0	1	0	0	1	3	3	0	0	0	1	0	0	1	2
35	0	1	0	0	0	2	4	1	1	1	1	0	0	1	2
36	0	1	0	0	0	3	4	1	1	1	0	0	0	1	2
37	0	1	0	0	1	2	3	1	1	1	0	0	0	2	1
38	0	1	0	0	1	3	4	1	1	1	0	0	0	2	1
39	0	1	0	0	1	1	5	1	1	0	0	0	0	1	3
40	0	1	0	0	1	5	3	1	1	0	1	0	0	3	1
41	0	1	0	0	0	5	1	1	0	1	1	0	0	2	3
42	0	1	0	0	1	3	3	1	1	0	0	0	0	4	1
43	0	1	0	0	1	3	4	1	1	0	0	0	0	1	2
44	0	2	0	0	1	4	4	1	1	0	1	0	0	1	2
45	0	1	0	0	1	4	1	1	1	0	0	1	0	4	2
46	0	1	0	0	1	1	3	1	1	1	0	0	0	1	2
47	0	1	0	0	1	3	4	1	1	1	1	0	0	2	2
48	0	3	1	0	1	3	4	1	1	0	0	0	1	2	3
49	0	2	0	0	1	5	2	1	1	1	0	0	0	4	1
50	0	3	0	1	1	4	3	1	1	0	1	0	1	3	2
51	0	3	0	1	1	2	1	1	0	0	1	0	0	1	2
52	0	1	0	0	0	3	4	1	1	1	0	0	0	2	1
53	0	1	0	0	0	4	3	1	1	0	0	0	0	1	2
54	0	1	0	0	1	4	4	1	1	0	0	0	0	2	2

Data View Variable View

SPSS Processor is ready

Start desktop - Notepad Recitation Activities - Mic... SPSS Tutorial - Microsoft ... Database_SPSS[1].sa... Output3 [Document3] - ...

8:37 AM

Output3 [Document3] - SPSS Viewer

File Edit View Data Transform Insert Format Analyze Graphs Utilities Add-ons Window Help

Output

Log

Correlations

Title

Notes

Active Dataset

Correlations

CORRELATIONS

/VARIABLES=v5 v24b

/PRINT=TWOTAIL NOSIG

/MISSING=PAIRWISE .

→ Correlations

[DataSet1] C:\Documents and Settings\awm\Local Settings\Temporary Internet Files\Content.IE5\45Y7GHUN\Database_SPSS[1].sav

Correlations

		Teachers	Unionviol
Teachers	Pearson Correlation	1	-.059
	Sig. (2-tailed)		.648
	N	62	62
Unionviol	Pearson Correlation	-.059	1
	Sig. (2-tailed)	.648	
	N	62	62

SPSS Processor is ready

Start

desktop - Notepad

Recitation Activities - Mic...

Document1 - Microsoft ...

Database_SPSS[1].sav [...]

Output3 [Document3...

8:36 AM